

21.5" High Brightness Outdoor Android LCD Monitor

GMS-220ODCAZ

Right Message At Right Time



Digital Signage is the remote-controlled distribution and playback of digital content (TV programs, advertising, menus, and every sort of information) on networks of displays. These displays can range from digital billboards to much smaller screens, either at a single location or across multiple sites. It's all about targeting the audience with relevant information. Digital signage enables users to display their messages more dynamically and targeted.

GMS mbH has demonstrated a Digital Signage application on android platform. The application provides the features of updating the content from remote web browser, playback of video content, image, HTML web pages and scrolling text messages.

Key Features:



- Android 11 operating system
- RK3399, Dual-core Cortex-A72, 1.8GHz
- 4GB DDR4 + 32 GB Flash
- 802.11a/b/g/n/ac internal Wifi
- 4G/WIFI/WLAN Network connection
- Remote Management Software
- Portrait display mode
- 1080P Display output

Designed for:

- POS
- Hotel
- Self-service Terminal
- Public Information Display
- Hospitality
- In-vehicles And Transportation

21.5" High Brightness Outdoor Android LCD Monitor

GMS-220ODCAZ



Specifications

PANEL	Panel Model	21.5inch TFT LCD	HDMI DISPLAY	Output Mode	HDMI 480P	HDMI 576P
	Max Resolution	1920x1080			HDMI 720P 50Hz	HDMI 720P 60Hz
	Aspect Ratio	Pixel 16:09			HDMI 1080I 50Hz	HDMI 1080I 60Hz
	Pitch Viewing Angle	0.24825x0.24825			HDMI 1080P 24Hz	HDMI 1080P 50Hz
	Contrast Ratio	85/85/80/80			HDMI 1080P 60Hz	
	Brightness	1000:1				
	Response Time	1300cd/m ²				
	Display Area (mm)	3.8/1.2ms	PERATURE CONTROLLER		TemCooling fan can be set to start running when the whole temperature reached 60 °C	
	Panel Size(mm)	476.64x268.11mm	SPD		Lightning protection device	
	Screen Weight	495.6x292.2x8.6mm	LEAKAGE PROTECTION SWITCH		110~220V*1	
	Lamp Type	1.67Kg WLED	COOLING SYSTEM	Blowing machine	Air cooling system: 45 blowing machines and 15 cooling fans, stable and reliable performance	
INTERNAL MEDIA PLAYER	CPU	RK3399, Dual-core Cortex-A72, 1.8GHz		Cooling fan	Noise DB (A) <55dB	
	GPU	ARM Mali-T864	LEVEL OF PROTECTION		IP65	
	RAM	4 GB DDR4	ON-SCREEN DISPLAY LANGUAGES		English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc.	
	ROM	32 GB Flash	POWER	Mains Power	AC 100-240V, 50-60 Hz	
	OS	Android 11		Consumption	40W	
CONNECTOR	USB 2.0	X2	SOUND	Built-in Speakers	2 x 10W	
	HDMI (Output)	X1	DIMENSION & WEIGHT	Machine Size	535.8x78x329.4mm	
	TF	X1		Machine Weight	19.5KG	
	Rj45	X1		Carton Size	690x245x595mm	
	4G SIM (Optional)	X1		Carton Weight	22.5KG	
CONNECTIVITY	LAN	RJ45 Port, 10/100M Ethernet		Wooden case Size	720x1255x775mm(5PCS)	
	WiFi	Built-in WiFi 802.11a/b/g/n/ac	OTHER	Regulatory Approvals	CE, FCC, ROHS	
	4G (Optional)	LTE		Warranty	1 year warranty	
FILE SUPPORT	Video	H.264, MKV, WMV9, MPEG 1/2/4, HD Divx, Xvid, RM/RMVB;	ACCESSORIES	Included	Remote Control, Power supply, User manual, Keys, Screws	
	Image	BMP/PNG/GIF/JPEG				
	Audio	MP3,WMA,WAV,EAAC+, MP2 dec, Vorbis (Ogg), AC3, FLAC, APE, BSAC				
	Scrolling Text	txt				
DISPLAY MODE		Portrait & Landscape				
VESA		200 x 200 mm				
TOUCH		Capacitive Touch options				