


Model: **GMS190TL-P215HDIG-P**



General Description:

GMS190TL-P215HDIG-P is one of 21.5" Full-HD Open Frame LCD touch monitor that using the projected capacitive touch technology, it supports Win7, Win8, Android & Linux by multi-touch function, widely apply industrial, commercial and medical devices.

Main feature: Multi-capacitive touch technology, immediately function, excellent customer feedback.

Technical details

Product	21.5" PCAP Open Frame Touch Monitor	
LCD Specification	Display Ratio	16:9
	Backlight	LED
	MTBF	50000Hrs
	Active Area	476.64mm x 268.11mm
	Viewing Angle	89° /89° (Left / Right) , 89° /89° (Vertical / Horizontal)
	Support Color	16.7M colors
	Response Time	Typ. 5ms
	White Luminance	Typ.250cd/m2
	Contrast Ratio	Typ.3000:1
	Electrical Interface	LVDS
	Display Resolution	1920*1080 / 60Hz , 70Hz

Touch Panel	Type	Projected Capacitive Multi-Point Touch Panel
	Size	21.5 Inch
	Active Area	477.70mm×269.10mm
	PCAP Thickness	3mm
	Hardness	7H
	Anti-vandal Treatment	Chemical strength
	Consumption	≤0.3W
	Interface Type	USB interface, Type B
	Touch Points	10
	Response Time	≤10ms
	Linearity	≤2%
	Minimum Touch Diameter	1.5mm
	Touch Strength	≤10g
	Touch Panel Life Time	≥200 million touches
Touch Operation	Finger or touch pen	
Compatible O/S	WinXP, Win7, Win8, Windows 10, Android, Linux	

Monitor Specification	Outline Dimension	513.6mm×310.20mm×54.10mm
	Product Construction	Pure Flat Surface (plastic bezel design)
	Product Color	Black and galvanized silver
	Environment Parameter	Operation : 0~50°C Storage : -20~70°C Operating Humidity : 20%~90%
	Interface	HDMI/ VGA/ DVI, USB-B(for touch)
	Installation	VESA 100mm / or bracket
	Heat Radiation	Natural Air Cooling
	Input Voltage	DC12V/4A
	Warranty	12 months
	Certification	CCC , CE , FCC , RoHS

Product photo



Technical drawing

